THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE PROCEEDINGS
Control Theory and Applications

Vol. 141, 1994

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings

Control Theory and Applications

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 141 1994 UK ISSN 1350–2379

HONORARY EDITORS

Prof. B.V. Jayawant (*University of Sussex*)
Prof. K. Warwick (*University of Reading*)

Pages in issues of *IEE Proc.-Control Theory Appl.*, 1994

Pages	Issue No.	Date
1–56	1	January
57–136	2	March
137–208	3	May
209–276	4	July
277–356	5	September
357–436	6	November

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7054/94 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1994: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom

Index

IEE Proceedings
Control Theory and Applications

Vol. 141, 1994

Author index

A

Acosta, L., Moreno, L., Hamilton, A., Méndez, J.A., Sanchez, J.L., and Piñeiro, J.D. see Moreno, L.
Ahmad, S., Sira-Ramirez, H., and Zribi, M. see Sira-Ramirez, H.
Ahmed, M.S. Block partial derivative and its application to neural-net-based direct-model-reference adaptive control p305
Ahmed, M.S., and Tasadduq, I.A. Neural-net controller for nonlinear plants: design approach through linearisation p315
Aldeen, M., and Trinh, H. Observing a subset of the states of linear systems p137
Atherton, D.P., and Zhuang, M. see Zhuang, M.

B

Baksi, D., Datta, K.B., and Roy, G.D. Parallel algorithm for pole assignment of multi-input systems p367
Bell, D.J., and Karbassi, S.M. see Karbassi, S.M.
Berger, C.S. Linear splines with adaptive mesh sizes for modelling nonlinear dynamic systems p277
Bittanti, S., and Piroddi, L. GMV technique for nonlinear control with neural networks p57
Brown, M., Wang, H., and Harris, C.J. see Wang, H.
Bryant, G.F., and Yeung, L.F. New sequential design procedures for multivariable systems based on Gauss–Jordan factorisation p427
Burnham, K.J., Goodhart, S.G., and James, D.J.G. see Goodhart, S.G.

C

Chai, T., Mao, K., and Qin, X. Decoupling design of multivariable generalised predictive control p197
Chan, T.W.K., Ho, D.W.C., and Lam, J. see Ho, D.W.C.
Chang, A.O.T., Kouvaritakis, B., and Rossiter, J.A. see Kouvaritakis, B.
Chang, W.-J., and Chung, H.-Y. see Chung, H.-Y.
Chen, G.P., Malik, O.P., and Hope, G.S. Generalised discrete control system design method with control limit considerations p39
Choi, B.W., Gu, D.-W., and Postlethwaite, I. Low-order H_∞ suboptimal controllers p243
Choi, C.-H., and Kim, H.-C. see Kim, H.-C.
Chung, H.-Y., and Chang, W.-J. Extension of the covariance control principle to nonlinear stochastic systems p93
Clarke, D.W., and Scokaert, P.O.M. see Scokaert, P.O.M.
Clarke, T., and Sun, X.-D. see Sun, X.-D.
Cluett, W.R., and Wang, L. see Wang, L.
Czarkowski, D., and Kazimierczuk, M.K. Application of state feedback with integral control to pulse-width modulated push–pull DC–DC convertor p99

D

Danbury, R., and Jenkinson, M. Synchronised servomechanisms — the scalar-field approach p261
Danbury, R.N. Near time-optimal control of nonlinear servomechanisms p145
Datta, K.B., Baksi, D., and Roy, G.D. see Baksi, D.

E

Earles, S.W.E., Yu, H., and Seneviratne, L.D. see Yu, H.
Edwards, C., and Spurgeon, S.K. Robust nonlinear control of heating plant p227

F

Fairman, F.W., and Wang, S. see Wang, S.
Feng, G. New robust model reference adaptive control algorithm p177
Fessas, P., and Parisses, C. When can the decentralised state feedback be realised as a static output feedback? p104
Florez, J., and Garcia-Sanz, M. see Garcia-Sanz, M.

G

Garcia-Sanz, M., and Florez, J. Adaptive optimum startup and shut-down time controllers for heating systems based on a robust gradient method p323
Goodhart, S.G., Burnham, K.J., and James, D.J.G. Bilinear self-tuning control of a high temperature heat treatment plant p12
Grimble, M.J., Katebi, M.R., and Lee, T. see Katebi, M.R.
Groumpos, P.P. Structural modelling and optimisation of large scale systems p1
Gu, D.-W., Choi, B.W., and Postlethwaite, I. see Choi, B.W.
Gupta, M.M., Jin, L., and Nikiforuk, P.N. see Jin, L.

H

Hamilton, A., Moreno, L., Acosta, L., Méndez, J.A., Sanchez, J.L., and Piñeiro, J.D. see Moreno, L.
Harris, C.J., Wang, H., and Brown, M. see Wang, H.
Heath, W.P., Rossiter, J.A., and Kouvaritakis, B. Correspondence on 'Constrained stable generalised predictive control' p274
Ho, D.W.C., Lam, J., and Chan, T.W.K. Mixed H_∞ optimisation with model-matching p329
Hope, G.S., Chen, G.P., and Malik, O.P. see Chen, G.P.

I

Indri, M., and Tornambè, A. Robust trajectory tracking for flexible piezoelectric structures p289
Ishitobi, M. Criteria for stability of zeros of sampled systems p396

J

James, D.J.G., Goodhart, S.G., and Burnham, K.J. see Goodhart, S.G.
Jenkinson, M., and Danbury, R. see Danbury, R.
Jiang, J.-P., Xu, L., and Zhu, J. see Xu, L.
Jin, L., Nikiforuk, P.N., and Gupta, M.M. Adaptive control of discrete-time nonlinear systems using recurrent neural networks p169
Ju, J.S., and Perng, M.H. see Perng, M.H.

K

Karbassi, S.M., and Bell, D.J. New method of parametric eigenvalue assignment in state feedback control p223
Katebi, M.R., Lee, T., and Grimble, M.J. Total control of fast coordinate measuring machines p373
Kazimierczuk, M.K., and Czarkowski, D. see Czarkowski, D.
Kim, H.-C., and Choi, C.-H. Closed-form solution of the continuous-time Lyapunov matrix equation p350
Kouvaritakis, B., Heath, W.P., and Rossiter, J.A. see Heath, W.P.
Kouvaritakis, B., Rossiter, J.A., and Chang, A.O.T. Kernels of anticausal operators and the multivariable generalised predictive control problem p181
Kouvaritakis, B., and Rossiter, J.A. see Rossiter, J.A.

L

Lam, J., Ho, D.W.C., and Chan, T.W.K. see Ho, D.W.C.
Lee, T., Katebi, M.R., and Grimble, M.J. see Katebi, M.R.
Lee, T.-T., Wang, C.-H., and Wang, W.-Y. see Wang, C.-H.
Leith, D.J. Identification of the SA-330 Puma helicopter p130
Linkens, D.A., and Mahfouf, M. Supervisory generalised predictive control and fault detection for multivariable anaesthesia p70
Linkens, D.A., and Yang, Y.Y. see Yang, Y.Y.
Liu, G.P., and Patton, R.J. see Patton, R.J.
Loh, A.P., and Vasnani, V.U. Necessary conditions for limit cycles in multiloop relay systems p163
Lou, K.-N., and Perez, R.A. see Perez, R.A.

M

Mahfouf, M., and Linkens, D.A. see Linkens, D.A.
Maitelli, A.L., and Yoneyama, T. Two-stage suboptimal dual controller for systems with stochastic parameters using optimal predictors p255
Malik, O.P., Chen, G.P., and Hope, G.S. see Chen, G.P.
Mao, K., Chai, T., and Qin, X. see Chai, T.
Méndez, J.A., Moreno, L., Acosta, L., Hamilton, A., Sanchez, J.L., and Piñeiro, J.D. see Moreno, L.
Medvedev, A.V., and Toivonen, H.T. Feedforward time-delay structures in state estimation: finite memory smoothing and continuous deadbeat observers p121
Moreno, L., Acosta, L., Hamilton, A., Méndez, J.A., Sanchez, J.L., and Piñeiro, J.D. Dynamic programming approach for nonlinear systems p409

N

Nguang, S.K. Robust stabilisation for a class of time-delay nonlinear systems p285
Nikiforuk, P.N., Jin, L., and Gupta, M.M. see Jin, L.

O

Olivier, P.D. Online system identification using Laguerre series p249

P

Parameswaran, V., and Raol, J.R. Estimation of model error for nonlinear system identification p403
Parisses, C., and Fessas, P. see Fessas, P.
Patton, R.J., and Liu, G.P. Robust control design via eigenstructure assignment, genetic algorithms and gradient-based optimisation p202
Perez, R.A., and Lou, K.-N. Decentralised multivariable control and stability of a gas turbine engine p357
Perng, M.H., and Ju, J.S. Optimally decoupled robust control of MIMO plants with multiple delays p25
Piñeiro, J.D., Moreno, L., Acosta, L., Hamilton, A., Méndez, J.A., and Sanchez, J.L. see Moreno, L.
Piroddi, L., and Bittanti, S. see Bittanti, S.
Postlethwaite, I., Choi, B.W., and Gu, D.-W. see Choi, B.W.

Q

Qin, X., Chai, T., and Mao, K. see Chai, T.

R

Raol, J.R. Neural network based parameter estimation of unstable aerospace dynamic systems p385
Raol, J.R., and Parameswaran, V. see Parameswaran, V.
Rossiter, J.A., Heath, W.P., and Kouvaritakis, B. see Heath, W.P.
Rossiter, J.A., Kouvaritakis, B., and Chang, A.O.T. see Kouvaritakis, B.
Rossiter, J.A., and Kouvaritakis, B. Numerical robustness and efficiency of generalised predictive control algorithms with guaranteed stability p154
Roy, G.D., Baksi, D., and Datta, K.B. see Baksi, D.

S

Sanchez, J.L., Moreno, L., Acosta, L., Hamilton, A., Méndez, J.A., and Piñeiro, J.D. see Moreno, L.
Scokaert, P.O.M., and Clarke, D.W. Stabilising properties of constrained predictive control p295
Seneviratne, L.D., Yu, H., and Earles, S.W.E. see Yu, H.
Sira-Ramirez, H., Zribi, M., and Ahmad, S. Dynamical sliding mode control approach for vertical flight regulation in helicopters p19
Spurgeon, S.K., and Edwards, C. see Edwards, C.
Sun, X.-D., and Clarke, T. Advanced aircraft flight control using nonlinear inverse dynamics p418

T

Tasadduq, I.A., and Ahmed, M.S. see Ahmed, M.S.
Teshnehlab, M., and Watanabe, K. Self tuning of computed torque gains by using neural networks with flexible structures p235
Toivonen, H.T., and Medvedev, A.V. see Medvedev, A.V.
Tornambè, A., and Indri, M. see Indri, M.
Trinh, H., and Aldeen, M. see Aldeen, M.

V

Vasnani, V.U., and Loh, A.P. see Loh, A.P.

W

Wang, C.-H., Wang, W.-Y., and Lee, T.-T. Sampling-time effects of higher-order digitisations and their applications in digital redesign p83
Wang, H., Brown, M., and Harris, C.J. Neural network modelling of unknown nonlinear systems subject to immeasurable disturbances p216
Wang, L., and Cluett, W.R. System identification based on closed-loop step response data p107
Wang, S., and Fairman, F.W. Simultaneous robust stabilisation of two normalised coprime factor plant balls p191
Wang, W.-Y., Wang, C.-H., and Lee, T.-T. see Wang, C.-H.
Watanabe, K., and Teshnehlab, M. see Teshnehlab, M.

X

Xu, L., Jiang, J.-P., and Zhu, J. Supervised learning control of a nonlinear polymerisation reactor using the CMAC neural network for knowledge storage p33

Y

Yang, Y.Y., and Linkens, D.A. Adaptive neural-network-based approach for the control of continuously stirred tank reactor p341
Yeung, L.F., and Bryant, G.F. see Bryant, G.F.
Yoneyama, T., and Maitelli, A.L. see Maitelli, A.L.
Yu, H., Seneviratne, L.D., and Earles, S.W.E. Exponentially stable robust control law for robot manipulators p389

Z

Zhu, J., Xu, L., and Jiang, J.-P. see Xu, L.
Zhuang, M., and Atherton, D.P. PID controller design for a TITO system p111
Zomaya, A.Y. Extraction and computation of identifiable parameters in robot dynamic models: theory and application p48
Zribi, M., Sira-Ramirez, H., and Ahmad, S. see Sira-Ramirez, H.

ADAPTIVE CONTROL

Adaptive control of discrete-time nonlinear systems using recurrent neural networks. L. Jin, P.N. Nikiforuk and M.M. Gupta p169
Adaptive neural-network-based approach for the control of continuously stirred tank reactor. Y.Y. Yang and D.A. Linkens p341
Block partial derivative and its application to neural-net-based direct-model-reference adaptive control. M.S. Ahmed p305
Generalised discrete control system design method with control limit considerations. G.P. Chen, O.P. Malik and G.S. Hope p39
Neural-net controller for nonlinear plants: design approach through linearisation. M.S. Ahmed and I.A. Tasadduq p315

AVIONICS

Identification of the SA-330 Puma helicopter. D.J. Leith p130

CLOSED-LOOP SYSTEMS

System identification based on closed-loop step response data. L. Wang and W.R. Cluett p107

COMPUTER APPLICATIONS

Parallel algorithm for pole assignment of multi-input systems. D. Baksi, K.B. Datta and G.D. Roy p367

CONTROL EQUIPMENT AND APPLICATIONS

Adaptive optimum startup and shut-down time controllers for heating systems based on a robust gradient method. M. Garcia-Sanz and J. Florez p323

CONTROL SYSTEMS

Adaptive neural-network-based approach for the control of continuously stirred tank reactor. Y.Y. Yang and D.A. Linkens p341
Extension of the covariance control principle to nonlinear stochastic systems. H.-Y. Chung and W.-J. Chang p93
Feedforward time-delay structures in state estimation: finite memory smoothing and continuous deadbeat observers. A.V. Medvedev and H.T. Toivonen p121
Low-order H_∞ suboptimal controllers. B.W. Choi, D.-W. Gu and I. Postlethwaite p243
Near time-optimal control of nonlinear servomechanisms. R.N. Danbury p145
PID controller design for a TITO system. M. Zhuang and D.P. Atherton p111
Robust control design via eigenstructure assignment, genetic algorithms and gradient-based optimisation. R.J. Patton and G.P. Liu p202
Robust nonlinear control of heating plant. C. Edwards and S.K. Spurgeon p227
Robust trajectory tracking for flexible piezoelectric structures. M. Indri and A. Tornambè p289
Self tuning of computed torque gains by using neural networks with flexible structures. M. Teshnehlab and K. Watanabe p235
Synchronised servomechanisms — the scalar-field approach. R. Danbury and M. Jenkinson p261

CONTROL THEORY

Bilinear self-tuning control of a high temperature heat treatment plant. S.G. Goodhart, K.J. Burnham and D.J.G. James p12
Correspondence on 'Constrained stable generalised predictive control'. W.P. Heath, J.A. Rossiter and B. Kouvaritakis p274
Criteria for stability of zeros of sampled systems. M. Ishitobi p396
Decoupling design of multivariable generalised predictive control. T. Chai, K. Mao and X. Qin p197
Feedforward time-delay structures in state estimation: finite memory smoothing and continuous deadbeat observers. A.V. Medvedev and H.T. Toivonen p121
GMV technique for nonlinear control with neural networks. S. Bittanti and L. Piroddi p57
Kernels of anticausal operators and the multivariable generalised predictive control problem. B. Kouvaritakis, J.A. Rossiter and A.O.T. Chang p181
Low-order H_∞ suboptimal controllers. B.W. Choi, D.-W. Gu and I. Postlethwaite p243
New robust model reference adaptive control algorithm. G. Feng p177
Numerical robustness and efficiency of generalised predictive control algorithms with guaranteed stability. J.A. Rossiter and B. Kouvaritakis p154
Optimally decoupled robust control of MIMO plants with multiple delays. M.H. Perng and J.S. Ju p25
PID controller design for a TITO system. M. Zhuang and D.P. Atherton p111
Robust nonlinear control of heating plant. C. Edwards and S.K. Spurgeon p227
Simultaneous robust stabilisation of two normalised coprime factor plant balls. S. Wang and F.W. Fairman p191
Stabilising properties of constrained predictive control. P.O.M. Scokaert and D.W. Clarke p295
Supervised learning control of a nonlinear polymerisation reactor using the CMAC neural network for knowledge storage. L. Xu, J.-P. Jiang and J. Zhu p33
Supervisory generalised predictive control and fault detection for multivariable anaesthesia. D.A. Linkens and M. Mahfouf p70
When can the decentralised state feedback be realised as a static output feedback?. P. Fessas and C. Parisses p104

CONVERTORS

Application of state feedback with integral control to pulse-width modulated push–pull DC–DC convertor. D. Czarkowski and M.K. Kazimierczuk p99

CYBERNETICS AND ROBOTICS

Exponentially stable robust control law for robot manipulators. H. Yu, L.D. Seneviratne and S.W.E. Earles p389
Extraction and computation of identifiable parameters in robot dynamic models: theory and application. A.Y. Zomaya p48

DESIGN

New sequential design procedures for multivariable systems based on Gauss–Jordan factorisation. G.F. Bryant and L.F. Yeung p427
Robust control design via eigenstructure assignment, genetic algorithms and gradient-based optimisation. R.J. Patton and G.P. Liu p202

DIGITAL COMPUTERS AND COMPUTATION

Sampling-time effects of higher-order digitisations and their applications in digital redesign. C.-H. Wang, W.-Y. Wang and T.-T. Lee p83

FEEDBACK

Application of state feedback with integral control to pulse-width modulated push–pull DC–DC convertor. D. Czarkowski and M.K. Kazimierczuk p99
New method of parametric eigenvalue assignment in state feedback control. S.M. Karbassi and D.J. Bell p223
Robust stabilisation for a class of time-delay nonlinear systems. S.K. Nguang p285
When can the decentralised state feedback be realised as a static output feedback?. P. Fessas and C. Parisses p104

MATHEMATICAL TECHNIQUES

Closed-form solution of the continuous-time Lyapunov matrix equation. H.-C. Kim and C.-H. Choi p350
Estimation of model error for nonlinear system identification. V. Parameswaran and J.R. Raol p403
Feedforward time-delay structures in state estimation: finite memory smoothing and continuous deadbeat observers. A.V. Medvedev and H.T. Toivonen p121
Neural network modelling of unknown nonlinear systems subject to immeasurable disturbances. H. Wang, M. Brown and C.J. Harris p216
New method of parametric eigenvalue assignment in state feedback control. S.M. Karbassi and D.J. Bell p223
New robust model reference adaptive control algorithm. G. Feng p177
Numerical robustness and efficiency of generalised predictive control algorithms with guaranteed stability. J.A. Rossiter and B. Kouvaritakis p154
Parallel algorithm for pole assignment of multi-input systems. D. Baksi, K.B. Datta and G.D. Roy p367

MODULATION

Application of state feedback with integral control to pulse-width modulated push–pull DC–DC convertor. D. Czarkowski and M.K. Kazimierczuk p99

MOTORS

Self tuning of computed torque gains by using neural networks with flexible structures. M. Teshnehlab and K. Watanabe p235

MULTIVARIABLE CONTROL SYSTEMS

Decentralised multivariable control and stability of a gas turbine engine. R.A. Perez and K.-N. Lou p357
Decoupling design of multivariable generalised predictive control. T. Chai, K. Mao and X. Qin p197
Necessary conditions for limit cycles in multiloop relay systems. A.P. Loh and V.U. Vasnani p163
New sequential design procedures for multivariable systems based on Gauss–Jordan factorisation. G.F. Bryant and L.F. Yeung p427

NETWORKS

Neural network based parameter estimation of unstable aerospace dynamic systems. J.R. Raol p385
Neural network modelling of unknown nonlinear systems subject to immeasurable disturbances. H. Wang, M. Brown and C.J. Harris p216
Observing a subset of the states of linear systems. M. Aldeen and H. Trinh p137
Self tuning of computed torque gains by using neural networks with flexible structures. M. Teshnehlab and K. Watanabe p235

NONLINEAR SYSTEMS

Adaptive control of discrete-time nonlinear systems using recurrent neural networks. L. Jin, P.N. Nikiforuk and M.M. Gupta p169
Dynamic programming approach for nonlinear systems. L. Moreno, L. Acosta, A. Hamilton, J.A. Méndez, J.L. Sanchez and J.D. Piñeiro p409
Dynamical sliding mode control approach for vertical flight regulation in helicopters. H. Sira-Ramirez, M. Zribi and S. Ahmad p19
Extension of the covariance control principle to nonlinear stochastic systems. H.-Y. Chung and W.-J. Chang p93
Linear splines with adaptive mesh sizes for modelling nonlinear dynamic systems. C.S. Berger p277

OPTIMAL CONTROL

Dynamic programming approach for nonlinear systems. L. Moreno, L. Acosta, A. Hamilton, J.L. Sanchez and J.D. Piñeiro p409
Total control of fast coordinate measuring machines. M.R. Katebi, T. Lee and M.J. Grimble p373
Two-stage suboptimal dual controller for systems with stochastic parameters using optimal predictors. A.L. Maitelli and T. Yoneyama p255

OPTIMISATION

Generalised discrete control system design method with control limit considerations. G.P. Chen, O.P. Malik and G.S. Hope p39
Mixed H_∞ optimisation with model-matching. D.W.C. Ho, J. Lam and T.W.K. Chan p329

POWER SYSTEMS AND PLANT

Generalised discrete control system design method with control limit considerations. G.P. Chen, O.P. Malik and G.S. Hope p39

PROCESS CONTROL

PID controller design for a TITO system. M. Zhuang and D.P. Atherton p111

SERVOMOTORS

Synchronised servomechanisms — the scalar-field approach. R. Danbury and M. Jenkinson p261

SIMULATION

Identification of the SA-330 Puma helicopter. D.J. Leith p130

Structural modelling and optimisation of large scale systems. P.P. Groumpos p1

STABILITY

Robust stabilisation for a class of time-delay nonlinear systems. S.K. Nguang p285

TRANSDUCERS

Robust trajectory tracking for flexible piezoelectric structures. M. Indri and A. Tornambè p289